SUZUKI MOTOR CORPORATION reserves the right to add any improvement to change the design or to discontinue any item at any time without notice. Some items might not be compatible with local standards or statutory requirements. Please check with your local AUTHORIZED SUZUKI DEALER for details at the time of ordering. Acutual colors might differ from those appearing in this catalogue.
©2011 SUZUKI MOTOR CORPORATION. All rights reserved.
Printed in Japan. ℗ November 2011. Part number: 99000-79N12-097

SUZUKI MOTOR CORPORATION
300 TAKATSUKA-CHO, MINAMI-KU, HAMAMATSU CITY, JAPAN 432-8611

Your AUTHORIZED SUZUKI DEALER

BEFORE YOU SAIL OUT, CHECK YOUR MOTOR AND FUEL FOLLOWING THE OWNER'S MANUAL, AND WEAR PROPER ATTIRE.

GENUINE RIGGING-PARTS AND ACCESSORIES

Way of Life!

GENUINE RIGGING-PARTS AND ACCESSORIES

Dear Customer,

Quality. Dependability. Innovation. Everything that you expect from your outboard motors is delivered with style by SUZUKI. Demand no less from the products that you choose to enhance your total boating pleasure. Demand GENUINE SUZUKI ACCESSORIES. This catalogue represents our commitment to provide you with the finest products available. From our classic line of matching instruments and gauges to our custom-engineered propellers and rigging items, you can depend on GENUINE SUZUKI ACCESSORIES for optimum performance.

Take a few minutes to browse through this catalogue, and then be sure to visit your AUTHORIZED SUZUKI DEALER for the complete ordering information.

Thank you.

SUZUKI MOTOR CORPORATION

TABLE OF CONTENTS

SUZUKI MODULAR INSTRUMENT SYSTEM		04
INSTRUMENT	ANALOG INSTRUMENT	10
CONTROL SYSTEM	SPC ELECTRONIC THROTTLE AND SHIFT SYSTEM	14
	MECHANICAL REMOTE CONTROL SYSTEM	18
STEERING		22
ELECTRICAL PARTS		24
ANODE		25
FUEL SYSTEM		26
PROPELLER		30
CARE ITEM		32
MAINTENANCE ITEM		32
APPLICATION CHART		34

REFERENCE

Part Number	15-digit alpha-numerical number shows Part Number to be used for ordering.
Gauge Size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable Model	Shows typical or recommended models of ENGINES that RIGGING-PARTS and ACCESSORIES can be installed to.
Maximum Speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilo-meter Per Hour
mph	Miles Per Hour
knots	Knot

MODEL NAME AND ENGINE NUMBER

NOTE

Items and their part numbers showing in this catalogue are basically applicable to models of following engine numbers.
Please consult your local dealers regarding other models and their rigging-parts and accessories.

model	engine number
DF300A	30002F-210001 -
DF250S	25004F-210001 -
DF250T	25003F-210001 -
DF250Z	25004Z-210001 -
DF225T	22503F-210001 -
DF225Z	22503Z-210001 -
DF200T	20002F-210001 -
DF200Z	20002Z-210001 -
DF175T	17502F-210001 -
DF175Z	17502Z-210001 -
DF150T	15002F-210001 -
DF150Z	15002Z-210001 -
DF140T	14002F-210001 -
DF140Z	14002Z-210001 -
DF115T	11502F-210001 -
DF115Z	11502Z-210001 -
DF100T	10002F-210001 -

model	engine number
DF90A	09003F-210001 -
DF80A	08002F-210001 -
DF70A	07003F-210001 -
DF60A	06002F-210001 -
DF50A	05003F-210001 -
DF40AS	04004F-210001-
DF40A	04003F-210001 -
DF25	02503F-210001 -
DF15	01503F-210001 -
DF9.9T	00993F-210001 -
DF9.9A	00994F-210001 -
DF8A	00801F-210001 -
DF6	00602F-210001 -
DF5	00502F-210001 -
DF4	00402F-210001 -
DF2.5	00252F-210001 -

model	engine number
DT40W	04005-210001-
DT40WK	04005K-210001-
DT30	03005-210001-
DT25K	02503K-210001-
DT15	01504-210001-
DT15K	01504K-210001-
DT9.9	00996-210001-
DT9.9K	00993K-210001-

SUZUKI MODULAR INSTRUMENT SYSTEM

SUZUKI MODULAR INSTRUMENT SYSTEM (SMIS) uses an easy to connect and expandable cable system to transmit graphic and numerical data to Multi-Function gauges. Easy to set up and install system can be used with nearly any boat and DF300 SUZUKI Outboard. Connected to the NMEA2000 compatible system, the gauges can display real-time readings from compatible electronic probes and the exclusive SMIS engine interface to monitor all engine functions.
(Engine Monitor with 4" gauge only)

APPLICABLE MODELS : DF40AT/50AT/60AT/70AT/80AT/90AT/100T-DF300A

SMIS MULTI-FUNCTION GAUGE

The 4" multi-function gauge uses a state-of-the-art high-contrast, dot matrix display to monitor real-time graphic and numerical digital data. When connected into the SMIS system, it can monitor all engine functions, act as a speedometer, tachometer, GPS*, and many others. (*GPS requires additional hardware.)
The 2" multi-function gauge is capable of all functions of the 4" gauge except diagnostic informations.
When connected to the SMIS system, it can be programmed to monitor all other functions.

4" SMIS MULTI-FUNCTION GAUGE

Quad analog page as a tachometer, a volt meter, a water-pressure gauge and a speedometer for single engine

34200-88L01-000 001

with a gray bezel + a T-connector (36664-88L00-000) + Operation & Installation Manual

2" SMIS MULTI-FUNCTION GAUGE

Fuel manager page

34800-88L00-000 002

with a gray bezel + a T-connector (36664-88L00-000) + Operation & Installation Manual

Examples of display**

Engine trim page as a trim gauge for single engine

Fuel manager page as a fuel gauge

Single analog page as a tachometer for single engine

Dual digital page as a hour meter and a speedometer for single engine

Single analog page as a speedometer

Diagnostics page

Examples of display**

as a volt meter for single engine

Fuel manager page

Engine trim page as a trim gage for single engine

** The detail instructions of display-operation are explained in the Operation & Installation Manual.

GAUGE KIT

4" GAUGE KIT

34011-88L01-000 003

This kit contains basic components to install digital gauge.

2" GAUGE KIT

34011-88L10-000 004

This kit is supplementary to analog gauge system, and it can display information which analog gauge system cannot indicate such as fuel consumption.



Available for your covenience. Refer to the following chart for the contents.

Contents						
part name		part number	quantity			
			4" Gauge Kit 34011-88L01-000	***	2" Gauge Kit 34011-88L10-000	***
1	4" SMIS Multi-Function Gauge	34200-88L01-000 001	1	1	-	-
2	2" SMIS Multi-Function Gauge	34800-88L00-000 002	-	-	1	1
3	Terminator Female	36665-88L00-000 013	1	-	1	-
4	Terminator Male	36665-88L10-000 014	1	-	1	-
5	Extension Cable 25 feet	36662-88L00-000	-	-	1	-
6	Engine Interface Unit	34922-88L00-000 005	1	1	1	1
7	SMIS Power Cable	36663-88L00-000 010	1	1	1	1
8	SMIS Adapter	36668-88L00-000 006	-	-	1	-
9	Operation & Installation Manual for 4" Gauge		1	-	-	-
10	Operation & Installation Manual for 2" Gauge		-	-	1	-

***Quantity of T-connector(s) in a kit

OPTIONAL INSTRUMENT TRIM

Change the standard gray bezel to suit your application.
Two different bezel finishes are available for 2" or 4" Multi-Function gauges.

The image shows 4" bezel, "chrome", 34193-88L00-000.

4" bezel, chrome 34193-88L00-000 | **4" bezel, white 34193-88L20-000** | **2" bezel, chrome 34193-88L40-000** | **2" bezel, white 34193-88L60-000**

SUZUKI MODULAR INSTRUMENT SYSTEM

ENGINE INTERFACE

The most important part of the SMIS data system. DF300 of SUZUKI outboards can connect to the system, using Engine Interface Adapter.

ENGINE INTERFACE ADAPTER

36661-98J10-000 007

for single DF300 engine only

36661-98J20-000 008

for dual DF300 engine only

ENGINE INTERFACE UNIT WITH A T-CONNECTOR

34922-88L00-000 005

SMIS ADAPTER

36668-88L00-000 006

for DF40A-250T/Z with analog gauge system to add on digital gauges

36661-98J30-000 009

for triple DF300 engine only

POWER CABLE

The fused (3A) lead connects the extension cable to the power source.

SMIS POWER CABLE WITH A T-CONNECTOR

36663-88L00-000 010

POWER NODE WITH A T-CONNECTOR

36663-88L10-000 011

Allows network to be powered from multiple power sources (key switch, accessory switch, etc...).
For multiple (2 or 3) engines of DF40A-250T/Z only.

CONNECTION HARDWARE

T-CONNECTOR

36664-88L00-000 012

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINATOR FEMALE

36665-88L00-000 013

120-ohm terminators are required for any open cable ends in the system.

TERMINATOR MALE

36665-88L10-000 014

120-ohm terminators are required for any open cable ends in the system.

ADAPTER HARNESS TO N NETWORK

36666-88L00-000 015

(Black network to Blue devices)
Allows connection to other NMEA devices (Device NET).

ADAPTER HARNESS TO L NETWORK

36666-88L10-000 016

(Blue network to Black devices)

SENSORS

FLUID LEVEL SENSOR WITH A T-CONNECTOR

34810-88L00-000 017

Monitors the fluid levels such as fuel, live well water level. etc. 10ft cable.

SPEED SENSOR WITH A T-CONNECTOR

34190-88L00-000 018

Paddle wheel-type speed sensor. 10ft cable.

WATER TEMPERATURE SENSOR WITH A T-CONNECTOR

34455-88L00-000 019

Surface-water temperature sensor. 10ft cable.

34455-88L10-000 020

(Thru-Hull type)

WATER PRESSURE SENSOR WITH A T-CONNECTOR

34960-88L00-000 021

GPS RECEIVER MODULE WITH A T-CONNECTOR

39950-88L00-000 022

Displays the accurate location and speed on multi-function gauges.

CONNECTION CABLE

The extension cable is the mainline of SMIS. Data communication runs the length of the boat, capped at each and with a 120-ohm terminator. NMEA2000 compatible sensors or other devices can be added by the use of T-connectors throughout the system.

EXTENSION CABLE

36662-88L10-000
2 feet

36662-88L20-000 023
6 feet

36662-88L30-000
15 feet

36662-88L00-000
25 feet

Example of Connection for DF300A with SMIS Multi-Function Gauge

(in case of equipping the same quantities of 4” and 2” gauges as engines’ and stations’, and all optional items)

NOTE: (*1): The required or recommended quantit ies are shown. Numbers in round-parentheses show the required ones if equipped.
(*2): While some of SMIS items have a T-co nnector in a package, the total of the T-connectors coming with them does not always satisfy the requ ired quantity.

category	Ref. #	part name	Number of T-connector Included	Contents of Gauge Kit		engine(s)												part number
						1	2	3	1			2			3			
						station(s)												
						1	1	1	2 total	1st	2nd	2 total	1st	2nd	2 total	1st	2nd	
				4”	2”	required quantity per boat (*1)												
SMIS multi-function gauge	❶	4” SMIS Multi-Function Gauge with a gray bezel	1	1		1	2	3	2	1	1	4	2	2	6	3	3	34200-88L01-000
		4” Gauge Kit	3	KIT														34011-88L01-000
	❷	2” SMIS Multi-Function Gauge with a gray bezel	1		1	1	2	3	2	1	1	4	2	2	6	3	3	34800-88L00-000
engine interface	❸	Engine Interface unit	1	1	1	1	2	3	1	1		2	2		3	3		34922-88L00-000
	❹	Engine Interface Adapter for single DF300 engine only	0			1			1	1								36661-98J10-000
		Engine Interface Adapter for dual DF300 engine only	0				1					1	1					36661-98J20-000
		Engine Interface Adapter for triple DF300 engine only	0					1							1	1		36661-98J30-000
power cable	❺	Power Cable	1	1	1	1	1	1	1	1		1	1		1	1		36663-88L00-000
connection cable	❻	Extension Cable 2 feet	0			1	2	3	2	1	1	3	2	1	4	3	1	36662-88L10-000
		Extension Cable 6 feet	0															36662-88L20-000
		Extension Cable 15 feet	0															36662-88L30-000
		Extension Cable 25 feet	0	0	1													36662-88L00-000
connection hardware	❼	T-Connector (*3)	1	3	3	4 (*2)	7 (*2)	10 (*2)	6 (*2)	4	2	11 (*2)	7	4	16 (*2)	10	6	36664-88L00-000
	❽	Terminator Female	0	1	1	1	1	1	1		1	1		1	1		1	36665-88L00-000
	❾	Terminator Male	0	1	1	1	1	1	1	1		1	1		1	1		36665-88L10-000
		Adapter Harness to N network (Black network to Blue devices)	0															36666-88L00-000
		Adapter Harness to L network (Blue network to Black devices)	0															36666-88L10-000
sensor		Fluid Level Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34810-88L00-000
		Speed Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34190-88L00-000
		Water Temperature Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L00-000
		Water Temperature Sensor (Thru-Hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L10-000
		Water Pressure Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34960-88L00-000
		GPS Receiver Module	1			(1)	(1)	(1)	(1)			(1)			(1)			39950-88L00-000
optional trim		4” bezel, chrome (6 pieces in one package)	0															34193-88L00-000
		4” bezel, white (6 pieces in one package)	0															34193-88L20-000
		2” bezel, chrome (6 pieces in one package)	0															34193-88L40-000
		2” bezel, white (6 pieces in one package)	0															34193-88L60-000

Example of Connection for DF40-250 with SMIS Multi-Function Gauge

(in case of equipping the same quantities of 4” and 2” gauges as engines’ and stations’, and all optional items)

category	Ref. #	part name	Number of T-connector Included	Contents of Gauge Kit		engine(s)												part number
						1	2	3	1			2			3			
						station(s)												
						1	1	1	2 total	1st	2nd	2 total	1st	2nd	2 total	1st	2nd	
				4”	2”	required quantity per boat (*1)												
SMIS multi-function gauge	❶	4” SMIS Multi-Function Gauge with a gray bezel	1	1		1	2	3	2	1	1	4	2	2	6	3	3	34200-88L01-000
		4” Gauge Kit	3	KIT														34011-88L01-000
	❷	2” SMIS Multi-Function Gauge with a gray bezel	1		1	1	2	3	2	1	1	4	2	2	6	3	3	34800-88L00-000
engine interface	❸	Engine Interface unit	1	1	1	1	2	3	1	1		2	2		3	3		34922-88L00-000
power cable	❺	Power Cable	1	1	1	1	1	1	1	1		1	1		1	1		36663-88L00-000
	❿	Power Node for multiple engine of DF40-250 only	1				1	1				1	1		1	1		36663-88L10-000
connection cable	❻	Extension Cable 2 feet	0			1	2	3	2	1	1	3	2	1	4	3	1	36662-88L10-000
		Extension Cable 6 feet	0															36662-88L20-000
		Extension Cable 15 feet	0															36662-88L30-000
		Extension Cable 25 feet	0	0	1													36662-88L00-000
connection hardware	❼	T-Connector (*3)	1	3	3	4 (*2)	7 (*2)	10 (*2)	6 (*2)	4	2	11 (*2)	7	4	16 (*2)	10	6	36664-88L00-000
	❽	Terminator Female	0	1	1	1	1	1	1		1	1		1	1		1	36665-88L00-000
	❾	Terminator Male	0	1	1	1	1	1	1	1		1	1		1	1		36665-88L10-000
		Adapter Harness to N network (Black network to Blue devices)	0															36666-88L00-000
		Adapter Harness to L network (Blue network to Black devices)	0															36666-88L10-000
sensor		Fluid Level Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34810-88L00-000
		Speed Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34190-88L00-000
		Water Temperature Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L00-000
		Water Temperature Sensor (Thru-Hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L10-000
		Water Pressure Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34960-88L00-000
		GPS Receiver Module	1			(1)	(1)	(1)	(1)			(1)			(1)			39950-88L00-000
optional trim		4” bezel, chrome (6 pieces in one package)	0															34193-88L00-000
		4” bezel, white (6 pieces in one package)	0															34193-88L20-000
		2” bezel, chrome (6 pieces in one package)	0															34193-88L40-000
		2” bezel, white (6 pieces in one package)	0															34193-88L60-000

SINGLE ENGINE OF DF300A



DUAL ENGINE OF DF300A



TRIPLE ENGINE OF DF300A



SINGLE ENGINE OF DF40-250



DUAL ENGINE OF DF40-250



TRIPLE ENGINE OF DF40-250



: Single Station : First & Second Station

ANALOG INSTRUMENT

Caution lamp	Caution type
CHECK ENGINE	Low battery-voltage or Other cautions on S.D.S
TEMP	Overheat (Over-revolution)
OIL	Low oil-pressure (Over-revolution)
	Oil change reminder
REV LIMIT	Over-revolution

TACHOMETER

34200-93J31-000 024

Gauge Size	4”
Background	White
Applicable Model	DF8AR/9.9T/9.9AR/15R/25R, DT30R/40WR

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

34200-93J11-000 026

Gauge Size	4”
Background	White
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

34200-93J50-000 028

Gauge Size	4”
Background	White
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.

34200-93J20-000 025

Gauge Size	4”
Background	Black
Applicable Model	DF8AR/9.9T/9.9AR/15R/25R, DT30R/40WR

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

34200-93J00-000 027

Gauge Size	4”
Background	Black
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

34200-93J40-000 029

Gauge Size	4”
Background	Black
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.

SPEEDOMETER

34100-93J11-000 030

Gauge Size	4”
Background	White
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J00-000 031

Gauge Size	4”
Background	Black
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J31-000 032

Gauge Size	4”
Background	White
Maximum Speed	80km/h, 50mph
Applicable Model	DF25R/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100T-250T/Z, DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J20-000 033

Gauge Size	4”
Background	Black
Maximum Speed	80km/h, 50mph
Applicable Model	DF25R/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100T-250T/Z, DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J51-000 034

Gauge Size	4”
Background	White
Maximum Speed	80km/h, 45knots
Applicable Model	DF25R/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100T-250T/Z, DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

34100-93J40-000 035

Gauge Size	4”
Background	Black
Maximum Speed	80km/h, 45knots
Applicable Model	DF25R/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100T-250T/Z, DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

SPEEDOMETER SENDER ASSY

34100-93J60-000 036

Gauge Size	4”
Background	White
Maximum Speed	120km/h, 65knots
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

34190-95500-000 037

Applicable Model	DF9.9T/15R/25R/40AT/50AT/60AT/70AT/80AT/90AT/ 100T-300T,DT30R/40WR

34190-87D00-000 038

Applicable Model	DF25R/40AT/50AT/60AT/70AT/80AT/90AT/ 100T-250T/Z, DT30R/40WR

ANALOG INSTRUMENT

FUEL GAUGE

34300-93J11-000 039

Gauge Size	2”
Background	White
Applicable Model	DF9.9T/15R/25R/40AT/ 50AT/60AT/70AT/80AT/ 90AT/100T-250T/Z, DT30R/40WR

FUEL GAUGE alone works with the US Standard 250Ω sending unit. Use the 150Ω adaptor to connect the gauge to a European standard sending unit.

34300-93J00-000 040

Gauge Size	2”
Background	Black
Applicable Model	DF9.9T/15R/25R/40AT/ 50AT/60AT/70AT/80AT/ 90AT/100T-250T/Z, DT30R/40WR

FUEL GAUGE alone works with the US Standard 250Ω sending unit. Use the 150Ω adaptor to connect the gauge to a European standard sending unit.

HOUR METER

34500-93J11-000 041

Gauge Size	2”
Background	White
AApplicable Model	DF9.9T/15R/25R/40AT/ 50AT/60AT/70AT/80AT/ 90AT/100T-250T/Z, DT30R/40WR

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.

34500-93J00-000 042

Gauge Size	2”
Background	Black
Applicable Model	DF9.9T/15R/25R/40AT/ 50AT/60AT/70AT/80AT/ 90AT/100T-250T/Z, DT30R/40WR

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.

VOLTMETER

34600-93J11-000 043

Gauge Size	2”
Background	White
Applicable Model	DF9.9T/15R/25R/40AT/ 50AT/60AT/70AT/80AT/ 90AT/100T-250T/Z, DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

34600-93J00-000 044

Gauge Size	2”
Background	Black
Applicable Model	DF9.9T/15R/25R/40AT/ 50AT/60AT/70AT/80AT/ 90AT/100T-250T/Z, DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

TRIM GAUGE

34800-93J11-000 045

Gauge Size	2”
Background	White
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

34800-93J00-000 046

Gauge Size	2”
Background	Black
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

WATER-PRESSURE GAUGE

34650-93J31-000 047

Gauge Size	2”
Background	White
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

Bourdon-tube type gauge measures cooling-water pressure. Select an approriate INSTALLATION KIT for each model.

34650-93J20-000 048

Gauge Size	2”
Background	Black
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

Bourdon-tube type gauge measures cooling-water pressure. Select an approriate INSTALLATION KIT for each model.

INSTALLATION KIT for WATER-PRESSURE GAUGE



049

34660-90J02-000

Applicable Model	DF40AT/50AT/60AT/70AT/80AT/90AT/ 100T-140T/Z

34660-96J00-000

Applicable Model	DF150T/Z/175T/Z

34660-93J00-000 049

Applicable Model	DF200T/Z-250T/Z

KIT includes fittings and hoses needed for motor to gauge connection.

SUZUKI PRECISION CONTROL

ELECTRONIC THROTTLE AND SHIFT SYSTEM

050

051

052

REMOTE-CONTROL KIT for SINGLE ENGINE

SINGLE STATION		STATION	DUAL STATION				
67000-98J08-000 - 67000-98J67-000		BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT	First Station 67000-98J08-000 - 67000-98J67-000		+	Second Station 67000-98J18-000	
DF300A	QTY	Applicable Model Contents:	DF300A			DF300A	QTY
67200-98J03-000 050 - 67200-98J22-000 051	1	BINNACLE MOUNT R/C BOX or FLUSH MOUNT R/C BOX	67200-98J03-000 050 - 67200-98J22-000 051	1		67200-98J03-000 050 - -	1 2
37100-98J03-000 053	1	MAIN SWITCH PANEL	37100-98J03-000 053	1		-	- 1
37100-98J11-000 054	1	CONTROL PANEL	37100-98J11-000 054	1		37100-98J11-000 054	1 2
38500-93J90-000 085	1	WARNING BUZZER	38500-93J90-000 085	1		38500-93J90-000 085	1 2
09407-08401-000	1	WARNING-BUZZER CLAMP	09407-08401-000	1		09407-08401-000	1 2
-	-	EMERGENCY SWITCH PANEL	-	-		37803-93J03-000 079	1 1
36625-98J10-000 066	1	BATTERY LEAD	36625-98J10-000 066	1		-	- 1
36770-98J10-000 057	1	BOAT CONTROL MODULE (BCM)	36770-98J10-000 057	1		36770-98J02-000 057	1 2
36775-98J00-000 058	1	BCM HOLDER (L)	36775-98J00-000 058	1		36775-98J00-000 058	1 2
36776-98J00-000 059	1	BCM HOLDER (R)	36776-98J00-000 059	1		36776-98J00-000 059	1 2
33911-88BL0-000 060	1	BCM-CONNECT CAP	33911-88BL0-000 060	1		33911-88BL0-000 060	1 2
33925-93J00-000 061	1	BCM CUSHION	33925-93J00-000 061	1		33925-93J00-000 061	1 2
36623-98J20-000 068	1	BCM #1 WIRING HARNESS	36623-98J20-000 068	1		-	- 1
-	-	BCM #2 WIRING HARNESS	-	-		36624-98J02-000 069	1 1
33926-98J00-000 067	2	TERMINAL RESISTOR	33926-98J00-000 067	2		-	- 2
-	-	ENGINE WIRING HARNESS	-	-		-	- -
-	-	DUAL-STATION WIRING HARNESS	-	-		36622-98J00-000 065	1 1
09403-13402-000	10	HARNESS CLAMP	09403-13402-000	10		09403-13402-000	10 20
37860-87L00-000 083	1	TROLL MODE SWITCH PANEL	37860-87L00-000 083	1		37860-87L00-000 083	1 2

REMOTE-CONTROL KIT for DUAL ENGINE

SINGLE STATION		STATION	DUAL STATION				
67000-98J28-000 - DF300A	QTY	BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT Applicable Model Contents:	First Station 67000-98J28-000 DF300A		+	Second Station 67000-98J38-000 DF300A	QTY
67200-98J13-000 052 - -	1	BINNACLE MOUNT R/C BOX or FLUSH MOUNT R/C BOX	67200-98J13-000 052 - -	1		67200-98J13-000 052 - -	1 2
37100-98J03-000 053	1	MAIN SWITCH PANEL	37100-98J03-000 053	1		-	- 1
37100-98J21-000 055	1	CONTROL PANEL	37100-98J21-000 055	1		37100-98J21-000 055	1 2
38500-93J90-000 085	1	WARNING BUZZER	38500-93J90-000 085	1		38500-93J90-000 085	1 2
09407-08401-000	1	WARNING-BUZZER CLAMP	09407-08401-000	1		09407-08401-000	1 2
-	-	EMERGENCY SWITCH PANEL	-	-		37803-93J03-000 079	1 1
36625-98J10-000 066	1	BATTERY LEAD	36625-98J10-000 066	1		-	- 1
36770-98J10-000 057	1	BOAT CONTROL MODULE (BCM)	36770-98J10-000 057	1		36770-98J10-000 057	1 2
36775-98J00-000 058	1	BCM HOLDER (L)	36775-98J00-000 058	1		36775-98J00-000 058	1 2
36776-98J00-000 059	1	BCM HOLDER (R)	36776-98J00-000 059	1		36776-98J00-000 059	1 2
-	-	BCM-CONNECT CAP	-	-		-	- -
33925-93J00-000 061	1	BCM CUSHION	33925-93J00-000 061	1		33925-93J00-000 061	1 2
36623-98J30-000	1	BCM #1 WIRING HARNESS	36623-98J30-000	1		-	- 1
-	-	BCM #2 WIRING HARNESS	-	-		36624-98J11-000	1 1
33926-98J00-000 067	2	TERMINAL RESISTOR	33926-98J00-000 067	2		-	- 2
36621-98J00-000 064	1	ENGINE WIRING HARNESS	36621-98J00-000 064	1		-	- 1
-	-	DUAL-STATION WIRING HARNESS	-	-		36622-98J00-000 065	1 1
09403-13402-000	15	HARNESS CLAMP	09403-13402-000	15		09403-13402-000	10 25
37860-87L00-000 083	1	TROLL MODE SWITCH PANEL	37860-87L00-000 083	1		37860-87L00-000 083	1 2

REMOTE-CONTROL KIT for TRIPLE ENGINE

SINGLE STATION		STATION	DUAL STATION				
67000-98J48-000 - DF300A	QTY	BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT Applicable Model Contents:	First Station 67000-98J48-000 DF300A		+	Second Station 67000-98J58-000 DF300A	QTY
67200-98J13-000 052 - -	1	BINNACLE MOUNT R/C BOX or FLUSH MOUNT R/C BOX	67200-98J13-000 052 - -	1		67200-98J13-000 052 - -	1 2
37100-98J03-000 053	1	MAIN SWITCH PANEL	37100-98J03-000 053	1		-	- 1
37100-98J31-000 056	1	CONTROL PANEL	37100-98J31-000 056	1		37100-98J31-000 056	1 2
38500-93J90-000 085	1	WARNING BUZZER	38500-93J90-000 085	1		38500-93J90-000 085	1 2
09407-08401-000	1	WARNING-BUZZER CLAMP	09407-08401-000	1		09407-08401-000	1 2
-	-	EMERGENCY SWITCH PANEL	-	-		37803-93J03-000 079	1 1
36625-98J10-000 066	1	BATTERY LEAD	36625-98J10-000 066	1		-	- 1
36770-98J10-000 057	1	BOAT CONTROL MODULE (BCM)	36770-98J10-000 057	1		36770-98J10-000 057	1 2
36775-98J00-000 058	1	BCM HOLDER (L)	36775-98J00-000 058	1		36775-98J00-000 058	1 2
36776-98J00-000 059	1	BCM HOLDER (R)	36776-98J00-000 059	1		36776-98J00-000 059	1 2
-	-	BCM-CONNECT CAP	-	-		-	- -
33925-93J00-000 061	1	BCM CUSHION	33925-93J00-000 061	1		33925-93J00-000 061	1 2
36623-98J30-000	1	BCM #1 WIRING HARNESS	36623-98J30-000	1		-	- 1
-	-	BCM #2 WIRING HARNESS	-	-		36624-98J11-000	1 1
33926-98J00-000 067	2	TERMINAL RESISTOR	33926-98J00-000 067	2		-	- 2
36621-98J10-000	1	ENGINE WIRING HARNESS	36621-98J10-000	1		-	- 1
-	-	DUAL-STATION WIRING HARNESS	-	-		36622-98J00-000 065	1 1
09403-13402-000	18	HARNESS CLAMP	09403-13402-000	18		09403-13402-000	10 28
37860-87L00-000 083	1	TROLL MODE SWITCH PANEL	37860-87L00-000 083	1		37860-87L00-000 083	1 2

SUZUKI PRECISION CONTROL

ELECTRONIC THROTTLE AND SHIFT SYSTEM

MAIN SWITCH PANEL

37100-98J03-000 053
Single ignition with Emergency-stop switch
Applicable Model DF300A

CONTROL PANEL

37100-98J11-000 054
for Single-Engine
Applicable Model DF300A

37100-98J21-000 055
for Dual-Engine
Applicable Model DF300A

37100-98J31-000 056
for Triple-Engine
Applicable Model DF300A

BOAT CONTROL MODULE (BCM)

36770-98J10-000 057
Applicable Model DF300A

BCM HOLDER (L/R)



(R) 059

(L) 058

36775-98J00-000 058
Applicable Model DF300A

36776-98J00-000 059
Applicable Model DF300A

BCM-CONNECT CAP



33911-88BL0-000 060
Applicable Model DF300A

BCM CUSHION



33925-93J00-000 061
Applicable Model DF300A

CONNECTION BETWEEN ENGINE AND CONTROL SYSTEM

MAIN WIRING HARNESS

36620-98J00-000 062
6.5 meters for control system
Applicable Model DF300A

36620-98J10-000
9.5 meters for control system
Applicable Model DF300A

MAIN-WIRING-HARNESS EXTENSION

36620-98J20-000 063
2.0 meters for control system
Applicable Model DF300A

ENGINE WIRING HARNESS

36621-98J00-000 064
for Dual engines
Applicable Model DF300A

36621-98J40-000
for Triple engines
Applicable Model DF300A

DUAL-STATION WIRING HARNESS

36622-98J00-000 065
for Dual-station control system
Applicable Model DF300A

BATTERY LEAD

36625-98J10-000 066
6.5 meters
Applicable Model DF300A

TERMINAL RESISTOR

33926-98J00-000 067
Applicable Model DF300A

BCM #1 WIRING HARNESS

36623-98J20-000 068
for Single engine and Single (First) station
Applicable Model DF300A

36623-98J30-000
for Multiple engines and Single (First) station
Applicable Model DF300A

BCM #2 WIRING HARNESS

36624-98J02-000 069
for Single engine and Second station
Applicable Model DF300A

36624-98J11-000
for Multiple engines and Second station
Applicable Model DF300A

MECHANICAL REMOTE CONTROL SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE + SINGLE STATION

67000-93J04-000		67000-93J47-000		-	
-		-		67000-93J25-000	
-		-		-	
DF40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z		DF40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z		DF40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z	
	QTY		QTY		QTY
67200-93J13-000 070	1	67200-93J13-000 070	1	-	-
-	-	-	-	67200-93J32-000 072	1
-	-	-	-	-	-
-	-	34200-93J11-000 026	1	-	-
-	-	34800-93J11-000 045	1	-	-
-	-	36620-93J02-000	1	-	-
-	-	-	-	-	-
37100-96J23-000 081	1	37100-96J23-000 081	1	37100-96J23-000 081	1

REMOTE-CONTROL KIT for DUAL ENGINE + SINGLE STATION

-	-	BINNACLE-MOUNT CONTROL KIT	67000-93J14-000		67000-93J57-000	
67000-93J67-000	-	FLUSH-MOUNT CONTROL KIT	-		-	
-	67000-93J76-000	SIDE-MOUNT CONTROL KIT	-		-	
DF40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z	DF40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z	Applicable Model	DF100T-250T/Z		DF100T-250T/Z	
QTY	QTY	Contents		QTY		QTY
- -	- -	BINNACLE MOUNT R/C BOX	67200-93J23-000 071	1	-	-
67200-93J32-000 072 1	- -	FLUSH MOUNT R/C BOX	-	-	-	-
- -	67200-93J05-000 1	SIDE MOUNT R/C BOX	-	-	-	-
34200-93J11-000 026 1	34200-93J11-000 026 1	TACHOMETER (Background: White)	-	-	34200-93J11-000 026	2
34800-93J11-000 045 1	34800-93J11-000 045 1	TRIM GAUGE (Background: White)	-	-	34800-93J11-000 045	2
36620-93J02-000 1	36620-93J02-000 1	MAIN WIRING HARNESS	-	-	36620-93J02-000	2
- -	- -	MAIN-WIRING-HARNESS EXTENSION	-	-	36620-93J10-000	1
37100-96J23-000 081 1	- -	IGNITION SWITCH PANEL	37100-96J13-000 082	1	37100-96J13-000 082	1

BINNACLE-MOUNT REMOTE CONTROL BOX

67200-93J13-000 070

Single-engine

Applicable Model DF8A/R-15/R/25R/40AT/QH/50AT/TH/60AT/TH/QH/70AT/80AT/90AT/100T-250T/Z

BINNACLE-MOUNT REMOTE CONTROL BOX

67200-93J23-000 071

Dual-engine

Applicable Model DF100T-250T/Z

FLUSH-MOUNT REMOTE CONTROL BOX

67200-93J32-000 072

Single-engine

Applicable Model DF25R/40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z

SIDE-MOUNT REMOTE CONTROL BOX

67200-91J01-000

Single-engine

Applicable Model DF4-6

67200-94J13-000 073

Single-engine

Applicable Model DF8AR/9.9AR/9.9TH/15/R/25R

67200-93J05-000

Single-engine

Applicable Model DF40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z

67200-97E44-000

Single-engine

Applicable Model DT25K-40W/WR/WK

CONNECTION between ENGINE and CONTROL SYSTEM

MAIN WIRING HARNESS

36620-93J51-000

5.0 meters for Control system

Applicable Model DF40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z

36620-93J02-000 076

6.5 meters for Control system

Applicable Model DF9.9T/40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z

36620-93J62-000

8.0 meters for Control system

Applicable Model DF40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z

36620-94J01-000

6.5 meters for Control system without Monitor-signal wire, Trim-sender wire and PTT-SW wire

Applicable Model DF8A/R/9.9TH/9.9A/R/15/R/25/R

SPACER KIT for REMOTE CONTROL BOX



67500-93J00-000 074

for Single Binnacle-mount type

Applicable Model DF8A/R-15/R/25R/40AT/QH/50AT/TH-250T/Z



67500-93J10-000 075

for Dual Binnacle-mount type

Applicable Model DF40AQH/50ATH/60ATH/QH/100T-250T/Z

BATTERY LEAD

36625-93J10-000 077

6.7 meters

Applicable Model DF70AT/TH-250T/Z

MAIN-WIRING-HARNESS EXTENSION

36620-93J10-000

2.0 meters for Control system

Applicable Model DF25R/40AT/50AT/60AT/70AT/80AT/90AT/100-250T/Z

36620-93J40-000

3.0 meters for Control system

Applicable Model DF40AT/50AT/60AT/70AT/80AT/90AT/100T-250T/Z

MECHANICAL REMOTE CONTROL SYSTEM

SWITCH PANEL

IGNITION SWITCH PANEL

37100-96J00-000 078

Single ignition

Applicable Model DF25R/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100T-250T/Z

37100-99E00-000

Single ignition

Applicable Model DT30R

EMERGENCY SWITCH PANEL

37803-93J03-000 079

Applicable Model DF25R/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100T-300T/Z

37803-99E03-000

Applicable Model DT30R

LIGHTING SWITCH PANEL

37210-93J00-000 080

Applicable Model DF25R/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100T-250T/Z

IGNITION SWITCH PANEL

37100-96J23-000 081

Single ignition with Emergency-stop switch

Applicable Model DF25R/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100T-250T/Z

IGNITION SWITCH PANEL

37100-96J13-000 082

Dual ignition with Emergency-stop switch

Applicable Model DF100T-250T/Z

TROLL MODE SWITCH PANEL

37860-87L00-000 083

Applicable Model DF40AT/50AT/60AT/70AT/ 80AT/90AT/300T

Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

PTT SWITCH PANEL

37805-93J00-000 084

Applicable Model DF40AT/50AT/60AT/70AT/ 80AT/90AT/100T-250T/Z

WARNING BUZZER

38500-93J90-000 085

Applicable Model DF25R/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100T-300T

THRU-HULL-HOSE ATTACHMENT



67300-90J00-000

Applicable Model DF70AT/TH-140T/Z

67300-93J00-000 086

Applicable Model DF150T/Z-300T/Z

TWIN REMOCON ATTACHMENT KIT



67140-95600-000 087

Applicable Model DF9.9T/TH/15/R/ 100T-250T/Z, DT9.9/K/15/ K/40W/WR/WK

REMOTE-CONTROL CABLE

67320-93J00-000 088

8 feet 2.44 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J10-000

10 feet 3.05 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J20-000

12 feet 3.66 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J30-000

14 feet 4.27 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J40-000

16 feet 4.88 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J50-000

18 feet 5.49 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J60-000

20 feet 6.10 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J70-000

22 feet 6.71 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J80-000

24 feet 7.32 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

GENUINE REMOTE-CONTROL CABLES employ the latest in cable technology. The inner core is encased in nylon, and travels back and forth in a high-density polyethylene liner.

REMOTE-CONTROL ATTACHING KIT

Converts ME model to REMOTE-CONTROL model.



67130-91J01-000 089

Applicable Model DF4-6

67130-94J11-000

Applicable Model DF9.9TH/15

67130-95J02-000 090

Applicable Model DF25

67130-99J00-000

Applicable Model DF8A/9.9A

CLAMP BRACKET SET (41100-99J00-0EP) is required for installing 67130-99J00-000.

CLAMP BRACKET SET

41100-99J00-0EP

Applicable Model DF8A/8AR/9.9A/9.9AR

STEERING

TILLER HANDLE KIT

63001-94J23-0EP
Applicable Model DF15R

63002-88L03-0EP
Applicable Model DF40AT-60AT

63002-87L02-0EP
Applicable Model DF70AT-90AT

63002-90J26-0EP 091
with Adjustable Steering Damper
Applicable Model DF100T/115T/Z

CONTENTS: Ignition switch, Engine-stop switches, Wiring harness, Cables and Gromments
TILLER HANDLE KITS are designed for easy installation for selected electric start models.

DUAL-ENGINE TIE-BAR

67600-90J00-000 092
Stainless steel
Applicable Model DF100T-140T/Z

67600-93J00-000
Stainless steel
Applicable Model DF150T/Z-250T/Z

STEERING EXTENSION KIT

67630-93J00-000 093
for installation of DUAL-ENGINE TIE-BAR (67600-93J00-000)
Applicable Model DF150T/Z-250T/Z

STEERING-CABLE ATTACHMENT

41141-89E00-000 094
Applicable Model DF9.9T/TH/15, DT9.9-15K
Must be used when installing through-tilt-tube steering to ensure steering angles equally to the right and left.

STEERING-BRACKET SUB-ATTACHMENT

67720-93E00-000 095
Applicable Model DF8A/9.9A/9.9TH/15

STEERING CABLE SEAL

41161-94400-000 096
Applicable Model DF8AR/9.9AR/9.9T/15R/25R/40AT/QH/50AT/TH-80AT/90AT/100T-250T/Z, DT9.9-30R/40WR

STEERING-BRACKET ATTACHMENT

43755-94J01-000 097
Applicable Model DF9.9TH/15R

43755-94JA0-000
Applicable Model DF9.9T

43755-95J01-000
Applicable Model DF25/25R

Used to connect DRAG LINK.

DRAG-LINK KIT

67700-87L00-000
Applicable Model DF70AT-90AT

67700-93J00-000
Applicable Model DF40AQH/50ATH/60AT/TH/QH/200T/Z-250T/Z

67700-95J01-000
Applicable Model DF25/R

67700-96J00-000
Applicable Model DF150T/Z/175T/Z

67701-87J11-000
Applicable Model DF40AT/QH-60AT/TH/QH/200T/Z-250T/Z

67701-87L00-000
Applicable Model DF70AT-90AT/TH

67701-90J00-000
Applicable Model DF100T-140T/Z

67701-93E12-000 098
Applicable Model DF9.9T/TH/15/R

67701-94JA0-000
Applicable Model DF9.9T

67701-95J00-000
Applicable Model DF25

67701-96J00-000
Applicable Model DF150T/Z/175T/Z

67701-94420-000
Applicable Model DT30/R

Recommended STEERING SYSTEM supplied by Teleflex MARINE www.teleflexmarine.com

Order taking, delivery, technical support and warranty for these products are handled by Teleflex.
Please consult to local Teleflex distributor or dealer if you need more detail for product information, price, availability and all business terms.

STEERING KIT

BayStar™

BAYSTAR

BAYSTAR OUTBOARD SYSTEM - HK4645H

System comprises:	
BayStar Helm 1.4cu" (22.94cc)	HH4314
BayStar Compact Cylinder	HC4645H*
20ft "cut to length" tubing kit	HT4420H
2 x l litre hydraulic oil	HO5430

*Note: 115-140hp four stroke 2001 to current model require HC4658H

SeaStar

SEASTAR

SEASTAR OUTBOARD SYSTEM - HK6400

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271
SeaStar Pivot Cylinder	HC5345*
2 x l litre hydraulic oil	HO5430
Note: 1 x SeaStar hose kits must be ordered separately	

*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

SeaStar PVA

SEASTAR POWER ASSIST

SEASTAR OUTBOARD POWER ASSIST SYSTEM

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271
SeaStar Pivot Cylinder	HC5345*
2 x l litre hydraulic oil	HO5430
SeaStar 12v Power Assist Unit	PA1200
Note: 2 x SeaStar hose kits must be ordered separately	

*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

*For further application information please refer to www.teleflexmarine.com


75 HP
115 HP
150 HP
200 HP
250 HP
300 HP
300 HP+
BAYSTAR
OPTIMUM
MAXIMUM
SEASTAR OUTBOARD SYSTEM
OPTIMUM
MAXIMUM
SEASTAR POWER ASSIST OUTBOARD SYSTEM
OPTIMUM
MAXIMUM
As specialists in the art of steering, Teleflex Marine take the recommendation of steering systems very seriously especially as modern outboard engines become more powerful. Unlike other steering manufacturers we prefer to make systems recommendations based on "optimum comfort"

TIE-BAR KIT

Features

General purpose system.
Single and multiple engine capability.
Total power up to 700 HP *counter-rotating.
Independent engine tilt for twin engine
Easy steering.
5 turns lock to lock steering response.

Applications


HO6003

HO6002

Twin Engine Application for Suzuki Outboard Motors

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		TWIN ENGINE SINGLE CYL.	TWIN ENGINE DUAL CYL.	
DF40A/50A/60A	HC5358	HO6003	HO6002	Requires kit HO5090
DF70A/80A/90A	HC5358	HO6003	HO6002	Requires kit HO5090
DF100	HC5358	HO6003	HO6002	Requires kit HO5090
DF115/140	HC5358	HO6003	HO6002	Requires kit HO5090
DF150/175	HC5345	HO6003	HO6002	
DF200/225/250	HC5345	HO6003	HO6002	
DF300	HC5345	HO6003	HO6002	

Triple Engine Configuration for Suzuki Outboard Motors

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		PORT ENGINE TO DRIVE CYL.	STARBOARD ENGINE TO DRIVE CYL.	
DF150/175	HC5345	HO6003	HO6002	See notice
DF200/225/250	HC5345	HO6003	HO6002	See notice
DF300	HC5345	HO6003	HO6002	See notice

Notice : Two cylinders are required to operate a triple engine set up.

ELECTRICAL PARTS

ELECTRIC STARTER KIT



31000-94J01-000
Applicable Model DF9.9T/TH/15

31000-95J00-000 099
Applicable Model DF25

31000-99J00-000
Applicable Model DF8A/9.9A

Converts MZ model into ME model.

BATTERY CHARGING KIT

32000-91J00-000
80W
Applicable Model DF4-6

32000-94J01-000
80W
Applicable Model DF9.9T/TH/15

32000-95J01-000
80W
Applicable Model DF25

32000-99J00-000
80W
Applicable Model DF8A/9.9A

COUNTER SELECT CONNECTOR

36612-98J00-000
Applicable Model DF300A

Converts T specification into Z specification.

RECTIFIER SET

32801-91J00-000 100
Applicable Model DF4-6



32801-94J01-000 101
Applicable Model DF9.9T/TH/15

32801-95J01-000 102
Applicable Model DF8A/9.9A/25

32801-96304-000 103
Applicable Model DT9.9/K/15/K/25K/30

32801-94402-000 104
Applicable Model DT40W/40WR/40WK

RECEPTACLE KIT



39600-91J00-000 105
Applicable Model DF4-6

39600-94J01-000 106
Applicable Model DF8A/9.9A/15

39600-95J01-000 107
Applicable Model DF25

39600-93910-000 108
Applicable Model DT9.9/K-40W/WR/WK

STARTER MOTOR SET

31101-96320-0EP 109
Applicable Model DT25K/30/R/40W/WK

BATTERY ISOLATOR LEAD SET

33830-96J00-000 110
Applicable Model DF150T/Z/175T/Z

33830-98J10-000
Applicable Model DF300A

STATOR & PULSER COIL COMPONENT

32120-94J10-000
12V, 120W
Applicable Model DF9.9T/TH/15

32120-95J00-000 111
12V, 180W
Applicable Model DF25

Raises the standard output (12V, 80W) to a larger output (12V, 120 or 180W).

FLYWHEEL

32102-96462-000 112
Applicable Model DT25K/30

STARTING SWITCH & CABLE SET

33800-96304-000 113
Applicable Model DT25K/30

ANODE

ZINC ANODE for saltwater

41811-98500-000 114
Applicable Model DF9.9T/TH/15/R, DT9.9/K/15/K

55300-95500-000 115
Applicable Model DF8A/R-15/R/40AT/QH-60AT/TH/QH, DT9.9/K-40W/WR/WK

55321-93J00-000 116
Applicable Model DF40AT/QH-60AT/TH/QH/150T/Z-300A, DT25K-40W/WR/WK
Bolt is not included.

55321-93900-000 117
Applicable Model DF9.9T/TH/15/R, DT9.9/K/15/K

55125-96310-000 118
Applicable Model DF25/R, DT25K-40W/WR/WK

55321-90J01-000 119
Applicable Model DF100T-140T/Z

ALUMINUM ANODE for brackish water, saltwater

55321-87J00-000 120
Applicable Model DF2.5-300T/Z, DT9.9/K/15/K

55320-94900-000 121
Applicable Model DF60AT/TH/QH-300A

55321-95J00-000 122
Applicable Model DF2.5/25/R

55321-99E00-000 123
Applicable Model DF9.9T/TH/15/R

MAGNESIUM ANODE for freshwater

55321-87J10-000 124
Applicable Model DF2.5-300A

55321-94910-000 125
Applicable Model DF70AT/TH-300A

FUEL SYSTEM

FUEL TANK

NOTE : These tanks do not meet US-EPA requirements.

65000-99100-000 126
12-litre plastic tank with no fuel-level gauge
Applicable Model DF4-15/R, DT9.9K/15K/25K/40WK

65000-95D01-000 127
25-litre plastic tank with a fuel-level gauge
Applicable Model DF8A/R-140T/Z, DT9.9/K-40W/WR/WK

REPLACEMENT FUEL CAP

NOTE : These caps do not meet US-EPA requirements.

65520-99100-000
for 12-litre tank with no fuel-level gauge
Applicable Model DF4-15/R, DT9.9K/15K/25K/40WK

65520-95D00-000
for 25-litre tank with a fuel-level gauge
Applicable Model DF8A/R-140T/Z, DT9.9/K-40W/WR/WK

FUEL-HOSE SOCKET

65750-98505-000 128
Metal, Inner diameter: 11.2 mm
Applicable Model DF4-15/R, DT9.9/K-40W/WR/WK

65750-87J11-000 129
Plastic, Inner diameter: 6.6 mm
Applicable Model DF4-25/R

65750-95500-000 130
Metal, Inner diameter: 13.0 mm
Applicable Model DF8A/R-140T/Z, DT9.9/K-40W/WR/WK

FUEL CONNECTOR (ENGINE SIDE)

65720-986B0-000 131
Plastic
Applicable Model DF4-25/R, DT9.9/K-40W/WR/WK

FUEL CONNECTOR (TANK SIDE)

65740-95D01-000 132
Outer diameter: 13 mm, 1/4"NPT
Applicable Model DF8A/R-140T/Z, DT9.9/K-40W/WR/WK

SQUEEZE PUMP

65770-99J00-000 133
Small-in & Large-out
Applicable Model DF4-15R, DT9.9K/25K/40WK

65770-90J10-000
Large-in & Large-out
Applicable Model DF8A-140T/Z, DT9.9K/15/25K/40WK

65770-93J10-000
Large-in & Large-out
Applicable Model DF150T/Z-300A

65770-90L00-000
Large-in & Small-out
Applicable Model DT9.9/15/30/R/40W/WR

SQUEEZE PUMP (Meets US-EPA requirements.)

65770-94J00-000
Small-in & Large-out
Applicable Model DF4-15

65770-90J00-000
Large-in & Large-out
Applicable Model DF8A-140T/Z

65770-93J00-000
Large-in & Large-out
Applicable Model DF150T/Z-300A

FUEL-HOSE COMPONENT

65700-94JD0-000
for 12-litre plastic tank to engine
Applicable Model DF4-15

65700-93J01-000 134
for fuel tank to engine
Applicable Model DF150T/Z-300A

65700-87J14-000
for 25-litre plastic tank to engine
Applicable Model DF8A-25

65700-90J13-000
for 25-litre plastic tank to engine
Applicable Model DF40A-140T/Z

65700-95D03-000
for 12-litre plastic tank to engine (gasoline)
Applicable Model DT9.9K/25K/40WK

65700-96362-000
for 25-litre plastic tank to engine (kerosene)
Applicable Model DT9.9K/25K/40WK

65700-94415-000
with fuel filter (gasoline)
Applicable Model DT9.9K/15K/25K/40WK

65700-94433-000
with fuel filter (kerosene)
Applicable Model DT9.9K/15K

65700-87D45-000
with fuel filter (kerosene)
Applicable Model DT25K/40WK

FUEL-HOSE COMPONENT (Meets US-EPA requirements.)

65700-91J23-000
Applicable Model DF4/6/9.9A/15

65700-94JC2-000
Applicable Model DF9.9

65700-87D81-000
Applicable Model DF15

65700-87J20-000
Applicable Model DF25

65700-88L00-000
Applicable Model DF40A-60A

FUEL-HOSE COMPONENT Chart



FUEL HOSE COMPONENT		SOCKET			HOSE				SQUEEZE PUMP	HOSE				SOCKET			
Part Number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)		I/D (mm)	O/D (mm)		D Length (mm)		I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part Number
65700-94JD0-000	1970	Plastic	6.6	65750-87J11-000	700	Large	7.3	12.5	65770-99J00-000	1100	Small	5.3	10.5	Metal	11.2	65750-98505-000
65700-93J01-000	2370	(no socket)	-	-	(no hose)	-	-	-	65770-93J10-000	2250	Large	9.0	14.0	(no socket)	-	-
65700-87J14-000	1970	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J10-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-90J13-000	1250	(no socket)	-	-	(no hose)	-	-	-	65770-90J10-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-95D03-000	2550	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-99J00-000	2090		5.3	10.5	Metal	11.2	65750-98505-000
65700-96362-000	2620	Metal	11.2	65750-98505-000	300		5.3	10.5	-	2250		7.3	12.5	Metal	13	65750-95500-000
65700-94415-000	3100	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-90J10-000	2600		7.3	12.5	-	-	-
65700-94433-000	3100	Plastic	13.8	65750-94404-000	3000		7.3	12.5	-	-		-	-	-	-	-
65700-87D45-000	2600	Metal	11.2	65750-98505-000	300		5.3	10.5	65770-90L00-000	2090		7.3	12.5	-	-	-
65700-91J23-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-94J00-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-94JC2-000	3300	Plastic	6.6	65750-87J11-000	2000		7.3	12.5	65770-94J00-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-87D81-000	2590	Metal	11.2	65750-98505-000	300		5.3	10.5	65770-94J10-000	2090		7.3	12.5	Metal	13	65750-95500-000
65700-87J20-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J00-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-88L00-000	1280	(no socket)	-	-	(no hose)	-	-	-	65770-90J00-000	1100		7.3	12.5	Metal	13	65750-95500-000

FUEL SYSTEM

WATER SEPARATOR / FUEL FILTER

65900-98J00-000 135

Applicable Model DF8A-300A, DT9.9/K-40W/WR/WK

ELEMENT SET

65910-98J00-000 136

Applicable Model DF8A-300A, DT9.9/K-40W/WR/WK

WATER SEPARATOR / FUEL FILTER

99000-79N12-012 137

Normal size

Applicable Model DF70AT-300A

REPLACEMENT FILTER

99000-79N12-011

for Normal size

Applicable Model DF70AT-300A

BOWL & DRAIN VALVE ASSEMBLY

99000-79N12-013

for Normal size

Applicable Model DF70AT-300A

WATER SEPARATOR / FUEL FILTER

99000-79N12-015 138

Compact size

Applicable Model DF70AT-140T/Z

REPLACEMENT FILTER

99000-79N12-014

for Compact size

Applicable Model DF70AT-140T/Z

BOWL & DRAIN VALVE ASSEMBLY

99000-79N12-016

for Compact size

Applicable Model DF70AT-140T/Z

PROPELLER

HARDWARE FOR PROPELLER

Applicable Model	STOPPER		PROPELLER BUSH		HARDWARE KIT	Contents of HARDWARE KIT			
		SPACER				SPACER	WASHER	NUT	COTTER PIN
DF2.5	57635-91JL0-000	-	58120-97JA0-000	Press-In	N/A	-	-	58130-91JL0-000	09204-03003-001
DF4/5/6	57635-91JL0-000	-	58120-91J00-000	Press-In	N/A	-	-	58130-91JL0-000	09204-03003-000
DF8A/9.9A	57632-93902-000	-	58120-93701-000	Press-In	57630-99J00-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9/15 DT9.9/15	57632-93902-000	-	58120-93701-000	Press-In	57630-93900-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9 with HIGH THRUST propeller	57632-93902-000	-	58120-94JA0-000	Press-In	57630-93900-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF25	57632-95J00-000	-	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT25/30	57632-91L00-000	-	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT40	57632-92L00-000	-	58120-88L00-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	-	58120-88L00-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF70A/80A/90A	57632-87L00-000			Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF100/115 T model (Right-Hand-Rotation)	57635-90J01-000	57632-90J00-000	*58105-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF115 Z model (Counter-Rotation)	57635-92J01-000	-	**58120-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF140	57635-92J01-000	-		Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF250S	57632-93J21-000	-	N/A	-	57630-92E00-000	57633-87D30-000	09160-18028-000	09141-18005-000	09204-03003-000
DF150-300A	57632-93L00-000	-	***58105-93J00-000 ****58105-93J10-000	Press-In	57630-92E00-000	57633-87D30-000	09160-18028-000	09141-18005-000	09204-03003-000

*58105-90J00 is for 58100-87Lxx, 58100-90Jxx, 58200-92J4x~92J9x and 58200-92JAx~92JDx.
**58120-90J00 is for 58200-90J0x~90J3x and 58200-92J0x~92J3x.
***58105-93J00 is for 58200-96Jxx.
****58105-93J10 is for 58200-93JXX, 58200-93Lxx and 58300-93Jxx.

*Rotation: RR: Right-Hand-Rotation model, CR: Counter-Rotation model

model	type	material	blade	diameter	pitch	rotation*	description	part number
DF2.5	A510	Aluminum	3	7 3/8	5 3/8	RR		58110-97JA0-019
DF4	C601	Aluminum	3	7 1/2	6	RR		58110-91J00-019
DF5	C611	Aluminum	3	7 1/2	6 1/2	RR		58110-91J10-019
DF6	C701	Aluminum	3	7 1/2	7	RR		58110-91J20-019
DF8A	M701	Aluminum	3	9 1/4	7	RR		58100-93703-019
DF9.9	M821	Aluminum	3	9 1/4	8	RR	THICK	58100-91D00-019
DF9.9A	M901	Aluminum	3	9 1/4	9	RR		58100-94J00-019
DF15	M911	Aluminum	3	9 1/4	9	RR	THICK	58100-93763-019
DT9.9	M1001	Aluminum	3	9 1/4	10	RR		58100-93733-019
DT15	M1011	Aluminum	3	9 1/4	10	RR	THICK	58100-93773-019
	M1101	Aluminum	3	9 1/4	11	RR		58100-93743-019
DF9.9		Aluminum	4	10	5	RR	High Thrust	58100-94JA0-019
DF25	P911	Aluminum	3	10 1/4	9	RR	THICK	58100-96371-019
DT25	P1001	Aluminum	3	10 1/4	10	RR		58100-96410-019
DT30	P1011	Aluminum	3	10 1/4	10	RR	THICK	58100-96470-019
	P1101	Aluminum	3	10 1/4	11	RR		58100-96421-019
	P1201	Aluminum	3	10 1/4	12	RR		58100-96430-019
	P1211	Aluminum	3	10 1/4	12	RR	THICK	58100-96481-019
	P1301	Aluminum	3	10 1/4	13	RR		58100-96440-019
	P1311	Aluminum	3	10 1/4	13	RR	THICK	58100-96490-019
	P1401	Aluminum	3	10 1/4	14	RR		58100-95D00-019
	P1501	Aluminum	3	10 1/4	15	RR		58100-96460-019
DT25/30	PS1300	Stainless	3	10 1/4	13	RR		58200-96400-000
DF40A	S900	Aluminum	3	11 1/2	9	RR		58100-88L02-019
DF50A	S1000	Aluminum	3	11 1/2	10	RR		58100-88L13-019
DF60A	S1100	Aluminum	3	11 1/2	11	RR		58100-88L23-019
DT40	S1200	Aluminum	3	11 5/8	12	RR		58100-88L32-019
	S1301	Aluminum	3	11 1/2	13	RR		58100-88L42-019
	S1400	Aluminum	3	11 3/8	14	RR		58100-88L51-019
	S1500	Aluminum	3	11 1/4	15	RR		58100-88L61-019
	S1600	Aluminum	3	11 1/8	16	RR		58100-88L71-019
	S1700	Aluminum	3	11	17	RR		58100-88L82-019
	SS1300	Stainless	3	11 1/2	13	RR		58200-88L00-000
	SS1400	Stainless	3	11 3/8	14	RR		58200-88L10-000
	SS1600	Stainless	3	11 1/8	16	RR		58200-88L30-000

model	material	blade	diameter	pitch	rotation*	part number
DF70A	Aluminum	3	14	13	RR	58100-87LA0-019
DF80A	Aluminum	3	13 7/8	15	RR	58100-87L10-019
DF90A	Aluminum	3	13 3/4	17	RR	58100-87L20-019
	Aluminum	3	13 3/4	19	RR	58100-87L30-019
	Aluminum	3	13 3/4	21	RR	58100-87L40-019
	Aluminum	3	13 3/4	23	RR	58100-87L50-019
	Aluminum	3	13 1/2	15	RR	58100-90J41-019
	Aluminum	3	14	17	RR	58100-90JA0-019
	Aluminum	3	14	19	RR	58100-90J11-019
	Aluminum	3	14	21	RR	58100-90J21-019
	Aluminum	3	14	23	RR	58100-90J31-019
	Stainless	3	14 1/4	18	RR	58200-90J00-000
	Stainless	3	14 1/4	20	RR	58200-90J10-000
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	58200-90J30-000
	Stainless	3	13 7/8	15	RR	58200-92J40-000
	Stainless	3	13 7/8	17	RR	58200-92J50-000
	Stainless	3	13 7/8	19	RR	58200-92J60-000
	Stainless	3	13 7/8	21	RR	58200-92J70-000
	Stainless	3	13 7/8	23	RR	58200-92J80-000
	Stainless	3	13 7/8	25	RR	58200-92J90-000
DF100	Aluminum	3	13 1/2	15	RR	58100-90J41-019
DF115	Aluminum	3	14	17	RR	58100-90JA0-019
DF140	Aluminum	3	14	19	RR	58100-90J11-019
	Aluminum	3	14	21	RR	58100-90J21-019
	Aluminum	3	14	23	RR	58100-90J31-019
	Stainless	3	14 1/4	18	RR	58200-90J00-000
	Stainless	3	14 1/4	20	RR	58200-90J10-000
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	58200-90J30-000
	Stainless	3	14 1/4	18	CR	58200-92J00-000
	Stainless	3	14 1/4	20	CR	58200-92J10-000
	Stainless	3	14 1/4	22	CR	58200-92J20-000
	Stainless	3	14 1/4	24	CR	58200-92J30-000
	Stainless	3	13 7/8	15	RR	58200-92J40-000
	Stainless	3	13 7/8	17	RR	58200-92J50-000
	Stainless	3	13 7/8	19	RR	58200-92J60-000
	Stainless	3	13 7/8	21	RR	58200-92J70-000
	Stainless	3	13 7/8	23	RR	58200-92J80-000
	Stainless	3	13 7/8	25	RR	58200-92J90-000
	Stainless	3	13 7/8	17	CR	58200-92JA0-000
	Stainless	3	13 7/8	19	CR	58200-92JB0-000
	Stainless	3	13 7/8	21	CR	58200-92JC0-000
	Stainless	3	13 7/8	23	CR	58200-92JD0-000

model	material	blade	diameter	pitch	rotation*	part number
DF150	Stainless	3	16	17	RR	58200-93L00-000
DF175	Stainless	3	16	18 1/2	RR	58200-93L10-000
DF200	Stainless	3	16	20	RR	58200-93L20-000
DF225	Stainless	3	16	21 1/2	RR	58200-93L30-000
DF250	Stainless	3	16	23	RR	58200-93L40-000
DF300	Stainless	3	16	24 1/2	RR	58200-93J50-000
	Stainless	3	16	26	RR	58200-93J60-000
	Stainless	3	16	27 1/2	RR	58200-93J70-000
	Stainless	3	16	17	CR	58200-93JE0-000
	Stainless	3	16	18 1/2	CR	58200-93LA0-000
	Stainless	3	16	20	CR	58200-93LB0-000
	Stainless	3	16	21 1/2	CR	58200-93JC0-000
	Stainless	3	16	23	CR	58200-93JD0-000
	Stainless	3	16	24 1/2	CR	58200-93JF0-000
	Stainless	3	16	26	CR	58200-93JG0-000
	Stainless	3	15 1/2	17	RR	58200-96J00-000
	Stainless	3	15 1/4	19	RR	58200-96J10-000
	Stainless	3	15	21	RR	58200-96J20-000
	Stainless	3	14 3/4	23	RR	58200-96J30-000
	Stainless	3	14 1/2	25	RR	58200-96J40-000
	Stainless	3	14 1/2	27	RR	58200-96J50-000
	Stainless	3	15 1/2	17	CR	58200-96JA0-000
	Stainless	3	15 1/4	19	CR	58200-96JB0-000
	Stainless	3	15	21	CR	58200-96JC0-000
	Stainless	3	14 3/4	23	CR	58200-96JD0-000
	Stainless	3	14 1/2	25	CR	58200-96JE0-000
	Stainless	3	14 1/2	27	CR	58200-96JF0-000
	Stainless	4	15 1/4	18	RR	58300-93J00-000
	Stainless	4	15 1/4	20	RR	58300-93J10-000
	Stainless	4	15 1/4	22	RR	58300-93J20-000
	Stainless	4	15 1/4	24	RR	58300-93J30-000
	Stainless	4	15 1/4	26	RR	58300-93J40-000
	Stainless	4	15 1/4	20	CR	58300-93JA0-000
	Stainless	4	15 1/4	22	CR	58300-93JB0-000
	Stainless	4	15 1/4	24	CR	58300-93JC0-000
	Stainless	4	15 1/4	26	CR	58300-93JD0-000

CARE ITEM

MAINTENANCE ITEM

ENGINECOVER

68110-96110-000
Applicable Model for DF4-15

68110-94400-000 139
Applicable Model for DF25

68110-94510-000
Applicable Model for DF40-60

FLUSH-HOSE ATTACHMENT



55181-95200-000 140
Applicable Model DF4-15R/40AT-60AT
Not Applicable Model DF8A-9.9AR

17917-87L00-000 141
Applicable Model DF8A/9.9A/25/R/40AT-300A

LIQUID GASKET

93691-80030-000 142
SILICONE SEAL KE45T
100 grams

99000-31140-000 143
1207B (BLACK)
100 grams (3.4 oz)

PAINT

99000-10109-01T 144
Francois white
90 grams (3.0 oz)

99000-10109-0EP
Metallic shadow black
90 grams (3.0 oz)

GREASE

99000-25011-000 145
SUPER GREASE-A
450 grams (15.8 oz) for Crank oil seal

99000-25350-000 146
WATER RESISTANT GREASE EP2
250 grams (8.8 oz)

99000-25140-000 147
MOLY PASTE
50 grams (1.7 oz)

PTT FLUID

99000-22810-000 148
Metal can with a cap
1 liter

THREAD LOCK

99000-32020-000 149
1333B (RED)
50 grams (1.7 oz)

99000-32050-000 150
1342 (BLUE)
50 grams (1.7 oz)

GEAR OIL

99000-22B22-000 151
HYPOID GEAR OIL SAE90 API GL-5
400ml

SUZUKI APPROVED GENUINE OIL by MOTUL

These products are supplied directly by MOTUL.
Please note that these oils are not available at some countries.
Please contact with local distributor of MOTUL.

Suzuki and MOTUL have been in partnership in MotoGP since 1988.
Extending this trusted relationship led to the development of new Suzuki Marine Oils.
These ranges of oils have excellent oxidation stability and provide outstanding rust protection under severe operating conditions.

API Classification	SAE Viscosity Grade
SG SH SL SJ SM	10W-40 10W-30
TEMP. C	-20 -10 0 10 20 30 40
TEMP. F	-4 14 32 50 68 86 104

GEAR OIL 152
SAE 90, API GL-5
0.35 litre

4-STROKE ENGINE OIL 153
SAE 10W-30 Semi-synthetic
5 litre FCW

4-STROKE ENGINE OIL 154
SAE 10W-40 Semi-Synthetic
5 litre FCW

APPLICATION CHART

Items and their part numbers showing in the application chart are typically recommended, and applicable to models of engine numbers shown in page 03.
Please consult your local dealers regarding rigging-parts and accessories for earlier engines.

page	Part Name / Description		DF300A	DF200/225/250	DF150/175	DF140	DF100/115	DF70A/80A/90A	DF40A/50A/60A	DF25	DF15	DF9.9T only	DF8A/9.9A	DF4/5/6	DT40	DT25/30	DT9.9/15
14, 18	**REMOTE CONTROL BOX**																
	Binnacle-mount	for Single-Engine	67200-98J03-000	67200-93J13-000 070	67200-93J13-000 070	67200-93J13-000 070	67200-93J13-000 070	67200-93J13-000 070	67200-93J13-000 070	67200-93J13-000 070	67200-93J13-000 070	67200-93J13-000 070	67200-93J13-000 070	-	-	-	-
		for Dual-Engine	67200-98J13-000	67200-93J23-000 071	67200-93J23-000 071	67200-93J23-000 071	67200-93J23-000 071	-	-	-	-	-	-	-	-	-	-
	Flush-mount	for Single-Engine	67200-98J21-000	67200-93J32-000 072	67200-93J32-000 072	67200-93J32-000 072	67200-93J32-000 072	67200-93J32-000 072	67200-93J32-000 072	67200-93J32-000 072	-	-	-	-	-	-	-
	Side-mount	for Single-Engine	-	67200-93J05-000	67200-93J05-000	67200-93J05-000	67200-93J05-000	67200-93J05-000	67200-93J05-000	67200-94J13-000 073	67200-94J13-000 073	67200-94J13-000 073	67200-94J13-000 073	67200-91J01-000	67200-97E44-000	67200-97E44-000	-
14, 18	**Binnacle-mount REMOTE CONTROL KIT**																
	for Single-Engine	+ Single-station	67000-98J07-000	67000-93J04-000 67000-93J47-000	67000-93J04-000 67000-93J47-000	67000-93J04-000 67000-93J47-000	67000-93J04-000 67000-93J47-000	67000-93J04-000 67000-93J47-000	67000-93J04-000 67000-93J47-000	-	-	-	-	-	-	-	-
		+ Second-station	67000-98J14-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	for Dual-Engine	+ Single-station	67000-98J27-000	67000-93J14-000 67000-93J57-000	67000-93J14-000 67000-93J57-000	67000-93J14-000 67000-93J57-000	67000-93J14-000 67000-93J57-000	- -	- -	-	-	-	-	-	-	-	-
		+ Second-station	67000-98J37-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	for Triple-Engine	+ Single-station	67000-98J42-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		+ Second-station	67000-98J52-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14, 18	**Flush-mount REMOTE CONTROL KIT**																
	for Single-Engine	+ Single-station	67000-98J61-000	67000-93J25-000 67000-93J67-000	67000-93J25-000 67000-93J67-000	67000-93J25-000 67000-93J67-000	67000-93J25-000 67000-93J67-000	67000-93J25-000 67000-93J67-000	67000-93J25-000 67000-93J67-000	-	-	-	-	-	-	-	-
19	**Side-mount REMOTE CONTROL KIT**																
	for Single-Engine	+ Single-station	-	67000-93J76-000	67000-93J76-000	67000-93J76-000	67000-93J76-000	67000-93J76-000	67000-93J76-000	-	-	-	-	-	-	-	-
18	**SPACER KIT for REMOTE CONTROL BOX**																
	for Single Binnacle-mount type		-	67500-93J00-000 074	67500-93J00-000 074	67500-93J00-000 074	67500-93J00-000 074	67500-93J00-000 074	67500-93J00-000 074	67500-93J00-000 074	67500-93J00-000 074	67500-93J00-000 074	67500-93J00-000 074	-	-	-	-
	for Dual Binnacle-mount type		-	67500-93J10-000 075	67500-93J10-000 075	67500-93J10-000 075	67500-93J10-000 075	67500-93J10-000 075	67500-93J10-000 075	-	-	-	-	-	-	-	-
21	**REMOTE-CONTROL CABLE**		-	See page 21	See page 21	See page 21	See page 21	See page 21	See page 21	See page 21	See page 21	See page 21	See page 21	See page 21	See page 21	See page 21	See page 21
21	**REMOTE-CONTROL ATTACHING KIT**		-	-	-	-	-	-	-	67130-95J02-000 090	67130-94J11-000	67130-94J11-000	67130-99J00-000	67130-91J01-000 089	-	-	-
17, 19	**MAIN WIRING HARNESS**																
	5.0 meters		-	36620-93J51-000	36620-93J51-000	36620-93J51-000	36620-93J51-000	36620-93J51-000	36620-93J51-000	-	-	-	-	-	-	-	-
	6.5 meters		36620-98J00-000 062	36620-93J02-000 076	36620-93J02-000 076	36620-93J02-000 076	36620-93J02-000 076	36620-93J02-000 076	36620-93J02-000 076	36620-94J01-000	36620-94J01-000	36620-93J02-000 076	36620-94J01-000	-	-	-	-
	8.0 meters		-	36620-93J62-000	36620-93J62-000	36620-93J62-000	36620-93J62-000	36620-93J62-000	36620-93J62-000	-	-	-	-	-	-	-	-
	9.5 meters		36620-98J40-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17, 19	**MAIN-WIRING-HARNESS EXTENSION**																
	2.0 meters		36620-98J20-000 063	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	-	-	-	-	-	-	-
	3.5 meters		-	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	-	-	-	-	-	-	-	-
17, 19	**BATTERY LEAD**		36625-98J10-000 066	36625-93J10-000 077	36625-93J10-000 077	36625-93J10-000 077	36625-93J10-000 077	36625-93J10-000 077	-	-	-	-	-	-	-	-	-
20	**IGNITION SWITCH PANEL**																
	Single ignition		-	37100-96J00-000 078	37100-96J00-000 078	37100-96J00-000 078	37100-96J00-000 078	37100-96J00-000 078	37100-96J00-000 078	37100-96J00-000 078	-	-	-	-	-	37100-99E00-000	-
	Single ignition + Emergency-stop switch		-	37100-96J23-000 081	37100-96J23-000 081	37100-96J23-000 081	37100-96J23-000 081	37100-96J23-000 081	37100-96J23-000 081	37100-96J23-000 081	-	-	-	-	-	-	-
	Dual ignition + Emergency-stop switch		-	37100-96J13-000 082	37100-96J13-000 082	37100-96J13-000 082	37100-96J13-000 082	37100-96J13-000 082	37100-96J13-000 082	-	-	-	-	-	-	-	-
16	**MAIN SWITCH PANEL**		37100-98J03-000 053	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	**CONTROL PANEL**																
	for Single engine		37100-98J11-000 054	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	for Dual engine		37100-98J21-000 055	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	for Triple engine		37100-98J31-000 056	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	**EMERGENCY SWITCH PANEL**		37803-93J03-000 079	37803-93J03-000 079	37803-93J03-000 079	37803-93J03-000 079	37803-93J03-000 079	37803-93J03-000 079	37803-93J03-000 079	37803-93J03-000 079	-	-	-	-	-	37803-99E03-000	-
20	**PTT SWITCH PANEL**		-	37805-93J00-000 084	37805-93J00-000 084	37805-93J00-000 084	37805-93J00-000 084	37805-93J00-000 084	37805-93J00-000 084	-	-	-	-	-	-	-	-
20	**LIGHTING SWITCH PANEL**		-	37210-93J00-000 080	37210-93J00-000 080	37210-93J00-000 080	37210-93J00-000 080	37210-93J00-000 080	37210-93J00-000 080	37210-93J00-000 080	-	-	-	-	-	-	-
25	**STATOR & PULSER COIL COMPONENT**		-	-	-	-	-	-	-	32120-95J00-000 111	32120-94J10-000	32120-94J10-000	-	-	-	-	-
24	**ELECTRIC STARTER KIT**		-	-	-	-	-	-	-	31000-95J00-000 099	31000-94J01-000	31000-94J01-000	31000-99J00-000	-	-	-	-
24	**BATTERY CHARGING KIT**		-	-	-	-	-	-	-	32000-95J01-000	32000-94J01-000	32000-94J01-000	32000-99J00-000	32000-91J00-000	-	-	-
25	**BATTERY ISOLATOR LEAD SET**		33830-98J10-000	-	33830-96J00-000 110	-	-	-	-	-	-	-	-	-	-	-	-
25	**ANODE**		See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25
22	**TILLER HANDLE KIT**		-	-	-	-	63002-90J26-0EP 091	63002-87L02-0EP	63002-88L03-0EP	-	63001-94J23-0EP	-	-	-	-	-	-
22	**STEERING EXTENSION KIT**		-	67630-93J00-000 093	67630-93J00-000 093	-	-	-	-	-	-	-	-	-	-	-	-
22	**DRAG-LINK KIT**		-	67700-93J00-000	67700-96J00-000	67701-90J00-000	67701-90J00-000	67701-87L00-000	67701-87J11-000	67700-95J01-000	67701-93E12-000 098	67701-94JA0-000	67701-99J00-000	-	-	67701-94420-000	-
22	**STEERING-BRACKET ATTACHMENT**		-	-	-	-	-	-	-	43755-95J01-000	43755-94J01-000 097	43755-94JA0-000	43755-99J00-000	-	-	-	-
22	**DUAL-ENGINE TIE-BAR**		-	67600-93J00-000	67600-93J00-000	67600-90J00-000 092	67600-90J00-000 092	-	-	-	-	-	-	-	-	-	-
26	**FUEL TANK**		-	-	-	65000-95D01-000 127	65000-95D01-000 127	65000-95D01-000 127	65000-95D01-000 127	65000-95D01-000 127	65000-99100-000 126	65000-99100-000 126	65000-99100-000 126	65000-99100-000 126	65000-99100-000 126	65000-99100-000 126	65000-99100-000 126
27	**FUEL-HOSE COMPONENT**		See page 27	See page 27	See page 27	See page 27	See page 27	See page 27	See page 27	See page 27	See page 27	See page 27	See page 27	See page 27	See page 27	See page 27	See page 27
30	**PROPELLER**		See page 30-31	See page 30-31	See page 30-31	See page 30-31	See page 30-31	See page 30-31	See page 30-31	See page 30-31	See page 30-31	58100-94JA0-000	See page 30-31	See page 30-31	See page 30-31	See page 30-31	See page 30-31